

RECEIVED  
CENTRAL FAX CENTER

FEB 08 2005

## FAX TRANSMISSION



DATE: February 8, 2005  
CLIENT NO.: A8319.0020  
MESSAGE TO: Examiner Jurie Yun  
COMPANY: U.S. Patent and Trademark Office; Art Unit 2882  
FAX NUMBER: 703-872-9306  
PHONE: 571-272-2497  
FROM: Mark J. Thronson  
PHONE: (202) 775-4742

PAGES (Including Cover Sheet): 4HARD COPY TO FOLLOW: ☐ YES ☒ NO

Please file the attached Request for Reconsideration in U.S. Patent Application No. 10/668,323. Applicants' undersigned representative hereby certifies that the attached Request for Reconsideration is being filed with the U.S. Patent and Trademark Office by facsimile transmission on February 8, 2005.

Mark J. Thronson, Reg. No. 33,082

If your receipt of this transmission is in error, please notify this firm immediately by collect call to our Facsimile Department at 202-861-9106, and send the original transmission to us by return mail at the address below.

This transmission is intended for the sole use of the individual and entity to whom it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. You are hereby notified that any dissemination, distribution or duplication of this transmission by someone other than the intended addressee or its designated agent is strictly prohibited.

2101 L Street NW Washington, DC 20037-1526 Tel 202-785-9700 Fax 202-887-0689

1153262 v1: \_PV201LDOC  
1153262 v1: \_PV201LDOC  
DSMDB.1153262.1

**RECEIVED  
CENTRAL FAX CENTER****FEB 08 2005**Docket No.: A8319.0020/P020-B  
(PATENT)**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

---

In re Patent Application of:  
Kensuke Amemiya et al.

Application No.: 10/668,323

Art Unit: 2882

Filed: September 24, 2003

Examiner: Jurie Yun

For: RADIOLOGICAL IMAGING APPARATUS  
AND RADIOLOGICAL IMAGING  
METHOD AND RADIOLOGICAL  
IMAGING SUPPORT METHOD

---

**REQUEST FOR RECONSIDERATION**

U.S. Patent and Trademark Office  
220 20th Street S.  
Customer Window, Mail Stop AF  
Crystal Plaza Two, Lobby, Rm. 1B03  
Arlington, VA 22202

Dear Sir:

Responsive to the Office Action dated November 8, 2004, please reconsider the above-referenced application in light of the following remarks.

Claims 50-53 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 29-31 of U.S. Patent Application No. 10/668,324. Reconsideration is respectfully requested.

Claims 50-53 of the present application each recite the step of "providing . . . tomographic image data to a medical institution by [a] radiological imaging support